


Leptospirosis

Leptospirosis is a bacterial infection caused by Leptospira species.



Leptospirosis is a bacterial infection caused by Leptospira species. The bacteria are thin, tightly coiled spirochetes. They are found in water and soil contaminated with the urine of infected animals. The infection is transmitted to humans through contact with contaminated water or soil.

Ecology and Transmission

Leptospirosis is a bacterial infection caused by Leptospira species. The bacteria are found in water and soil contaminated with the urine of infected animals. The infection is transmitted to humans through contact with contaminated water or soil. The bacteria are highly resistant to environmental conditions and can survive in water for several months.

Pathogen Characteristics

Leptospirosis is a bacterial infection caused by Leptospira species. The bacteria are thin, tightly coiled spirochetes. They are found in water and soil contaminated with the urine of infected animals. The infection is transmitted to humans through contact with contaminated water or soil.

Leptospira interrogans,

Leptospira biflexa,

Leptospira interrogans

Leptospirosis is a bacterial infection caused by Leptospira species. The bacteria are thin, tightly coiled spirochetes. They are found in water and soil contaminated with the urine of infected animals. The infection is transmitted to humans through contact with contaminated water or soil.

Leptospirosis is a bacterial infection caused by Leptospira species. The bacteria are thin, tightly coiled spirochetes. They are found in water and soil contaminated with the urine of infected animals. The infection is transmitted to humans through contact with contaminated water or soil.

Methods in microbiology
Leptospira Int
J Syst Bacteriol
Leptospiraceae Leptospira
Int J Syst Bacteriol
Leptospiraceae Leptospira alexanderi
Leptospira Int J Syst Bac-
teriol
Clin Microbiol Rev

